

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2005

Region	Hospital	All CABG Cases*	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate (% RAMR)	95%CI for RAMR	Performance Rating*
State of California		21,342	16,939	522	3.08				
Sacramento Valley & Northern California Region	Enloe Medical Center	188	142	6	4.23	3.52	3.70	(1.36, 8.04)	
	Mercy General Hospital	1,021	672	13	1.93	1.63	3.66	(1.95, 6.26)	
	Mercy Medical Center-Redding	185	137	0	0.00	2.86	0.00	(0.00, 2.90)	Better
	Mercy San Juan Hospital	156	113	4	3.54	3.01	3.63	(0.99, 9.29)	
	Rideout Memorial Hospital	159	111	3	2.70	2.26	3.68	(0.76, 10.74)	
	Shasta Regional Medical Center	92	75	1	1.33	4.72	0.87	(0.02, 4.84)	
	St. Joseph Hospital - Eureka	92	68	3	4.41	4.22	3.22	(0.66, 9.42)	
	Sutter Memorial Hospital	531	399	11	2.76	2.49	3.41	(1.70, 6.10)	
	UCD Medical Center	149	113	2	1.77	2.22	2.46	(0.30, 8.88)	
San Francisco Bay Area & San Jose	Alta Bates Summit Medical Center - Summit Campus	791	664	11	1.66	3.01	1.69	(0.84, 3.03)	Better
	California Pacific Medical Center - Pacific Campus	119	79	5	6.33	4.15	4.70	(1.53, 10.97)	

* A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2005

Region	Hospital	All CABG Cases*	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate (% , RAMR)	95%CI for RAMR	Performance Rating*
State of California		21,342	16,939	522	3.08				
	Doctors Medical Center - San Pablo Campus	50	42	0	0.00	5.75	0.00	(0.00, 4.70)	
	Dominican Hospital	90	79	3	3.80	4.30	2.72	(0.56, 7.95)	
	El Camino Hospital	87	67	0	0.00	1.85	0.00	(0.00, 9.15)	
	Good Samaritan Hospital - San Jose	183	146	5	3.42	3.40	3.10	(1.01, 7.23)	
	John Muir Medical Center - Walnut Creek Campus	21	19	0	0.00	2.00	0.00	(0.00, 29.87)	
	Kaiser Foundation Hospital (Geary San Francisco)	714	526	9	1.71	1.90	2.78	(1.27, 5.28)	
	Marin General Hospital	70	56	1	1.79	2.61	2.11	(0.05, 11.73)	
	Mills – Peninsula Health Center	75	47	2	4.26	4.96	2.65	(0.32, 9.55)	
	Mt. Diablo Medical Center	259	211	4	1.90	3.01	1.94	(0.53, 4.96)	
	O'Connor Hospital	110	94	6	6.38	2.96	6.65	(2.44, 14.47)	
	Queen of the Valley Hospital	213	174	4	2.30	3.57	1.98	(0.54, 5.07)	

* A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2005

Region	Hospital	All CABG Cases*	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate (% RAMR)	95%CI for RAMR	Performance Rating*
State of California		21,342	16,939	522	3.08				
	Regional Medical of San Jose	7	6	0	0.00	0.53	0.00	(0.00, 100.0)	
	Salinas Valley Memorial Hospital	177	167	1	0.60	2.02	0.91	(0.02, 5.09)	
	San Ramon Regional Medical Center	68	57	1	1.75	2.18	2.48	(0.06, 13.79)	
	Santa Clara Valley Medical Center	65	60	0	0.00	1.13	0.00	(0.00, 16.74)	
	Santa Rosa Memorial Hospital	70	61	2	3.28	2.59	3.90	(0.47, 14.08)	
	Sequoia Hospital	224	124	5	4.03	3.17	3.92	(1.27, 9.13)	
	Seton Medical Center	273	251	11	4.38	3.61	3.74	(1.87, 6.69)	
	St. Helena Hospital	129	116	6	5.17	5.67	2.81	(1.03, 6.11)	
	St. Mary's Medical Center, San Francisco	44	30	1	3.33	1.89	5.43	(0.14, 30.25)	
	Stanford University Hospital	179	117	4	3.42	2.94	3.59	(0.98, 9.18)	
	Sutter Medical Center of Santa Rosa	112	80	3	3.75	2.47	4.68	(0.96, 13.67)	

* A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2005

Region	Hospital	All CABG Cases*	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate (% RAMR)	95%CI for RAMR	Performance Rating*
State of California		21,342	16,939	522	3.08				
	UCSF Medical Center	129	108	2	1.85	3.61	1.58	(0.19, 5.71)	
	Washington Hospital - Fremont	141	119	8	6.72	4.53	4.57	(1.97, 9.00)	
Central California	Bakersfield Heart Hospital	208	169	7	4.14	2.80	4.55	(1.83, 9.38)	
	Bakersfield Memorial Hospital	241	211	9	4.27	2.52	5.23	(2.39, 9.91)	
	Community Medical Center - Fresno	162	149	7	4.70	2.99	4.84	(1.94, 9.96)	
	Dameron Hospital	59	54	4	7.41	3.72	6.14	(1.67, 15.70)	
	Doctors Medical Center - Modesto Campus	337	271	9	3.32	1.90	5.38	(2.46, 10.20)	
	Fresno Heart Hospital	264	228	3	1.32	2.34	1.73	(0.36, 5.06)	
	Kaweah Delta Hospital	346	289	14	4.84	4.87	3.07	(1.68, 5.14)	
	Marian Medical Center	129	103	5	4.85	3.05	4.91	(1.59, 11.45)	
	Memorial Medical Center of Modesto	312	261	5	1.92	2.41	2.45	(0.80, 5.71)	

* A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2005

Region	Hospital	All CABG Cases*	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate (% RAMR)	95%CI for RAMR	Performance Rating*
State of California		21,342	16,939	522	3.08				
	San Joaquin Community Hospital	78	70	3	4.29	2.79	4.74	(0.98, 13.84)	
	St. Agnes Medical Center	360	318	14	4.40	3.63	3.74	(2.04, 6.27)	
	St. Josephs Medical Center of Stockton	266	242	5	2.07	3.04	2.10	(0.68, 4.89)	
San Fernando Valley, Antelope Valley, Ventura & Santa Barbara	Antelope Valley Hospital Medical Center	45	39	2	5.13	1.54	10.28	(1.24, 37.11)	
	Community Memorial Hospital of San Buenaventura	142	119	3	2.52	4.03	1.93	(0.40, 5.64)	
	Encino Tarzana Regional Medical Center	135	103	0	0.00	3.53	0.00	(0.00, 3.12)	
	French Hospital Medical Center	127	88	0	0.00	2.06	0.00	(0.00, 6.27)	
	Glendale Adventist Medical Center- Wilson Terrace	140	124	2	1.61	2.35	2.12	(0.26, 7.64)	
	Glendale Memorial Hospital and Health Center	144	107	7	6.54	3.01	6.70	(2.69, 13.80)	
	Lancaster Community Hospital	12	12	0	0.00	1.96	0.00	(0.00, 48.28)	
	Los Robles Regional Medical Center	128	101	3	2.97	3.33	2.75	(0.57, 8.03)	

* A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2005

Region	Hospital	All CABG Cases*	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate (%), RAMR)	95%CI for RAMR	Performance Rating*
State of California		21,342	16,939	522	3.08				
	Northridge Hospital Medical Center	122	97	5	5.15	5.05	3.15	(1.02, 7.34)	
	Providence Holy Cross Medical Center	116	93	0	0.00	2.18	0.00	(0.00, 5.61)	
	Providence St. Joseph Medical Center	74	55	3	5.45	2.41	6.96	(1.43, 20.33)	
	Santa Barbara Cottage Hospital	205	148	6	4.05	4.11	3.04	(1.11, 6.61)	
	Sierra Vista Regional Medical Center	60	49	2	4.08	5.71	2.20	(0.27, 7.95)	
	St. John's Regional Medical Center	158	121	3	2.48	3.65	2.10	(0.43, 6.12)	
	Valley Presbyterian Hospital	22	18	1	5.56	2.10	8.15	(0.21, 45.36)	
	West Hills Regional Medical Center	46	42	1	2.38	4.03	1.82	(0.05, 10.13)	
Greater Los Angeles	Beverly Hospital	22	22	0	0.00	2.16	0.00	(0.00, 23.95)	
	Brotman Medical Center	14	8	0	0.00	2.10	0.00	(0.00, 67.64)	
	Cedars Sinai Medical Center	244	144	5	3.47	3.35	3.19	(1.04, 7.44)	

* A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2005

Region	Hospital	All CABG Cases*	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate (% RAMR)	95%CI for RAMR	Performance Rating*
State of California		21,342	16,939	522	3.08				
	Centinela Hospital Medical Center	90	78	3	3.85	3.60	3.29	(0.68, 9.61)	
	Citrus Valley Medical Center – IC Campus	146	120	10	8.33	3.08	8.34	(4.00, 15.34)	Worse
	Downey Regional Medical Center	88	84	3	3.57	2.88	3.82	(0.79, 11.17)	
	Garfield Medical Center	134	122	3	2.46	3.80	2.00	(0.41, 5.83)	
	Good Samaritan Hospital - Los Angeles	216	164	8	4.88	4.45	3.38	(1.46, 6.66)	
	Huntington Memorial Hospital	180	120	7	5.83	4.16	4.32	(1.74, 8.90)	
	Kaiser Foundation Hospital (Sunset Los Angeles)	1,043	880	24	2.73	2.83	2.97	(1.90, 4.41)	
	Lakewood Regional Medical Center	152	124	0	0.00	3.11	0.00	(0.00, 2.95)	Better
	Little Company of Mary Hospital	91	60	6	10.00	5.27	5.85	(2.14, 12.72)	
	Long Beach Memorial Medical Center	310	253	3	1.19	2.79	1.31	(0.27, 3.82)	
	Los Angeles Co Harbor - UCLA Medical Center	129	111	2	1.80	2.13	2.60	(0.32, 9.40)	

* A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2005

Region	Hospital	All CABG Cases*	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate (%), RAMR)	95%CI for RAMR	Performance Rating*
State of California		21,342	16,939	522	3.08				
	Los Angeles Co USC Medical Center	105	91	6	6.59	1.77	11.49	(4.21, 25.00)	Worse
	Methodist Hospital of Southern California	121	109	5	4.59	3.63	3.89	(1.26, 9.08)	
	Presbyterian Intercommunity Hospital	105	92	3	3.26	3.95	2.54	(0.52, 7.43)	
	Santa Monica - UCLA Medical Center	34	27	2	7.41	3.03	7.54	(0.91, 27.22)	
	St. Francis Medical Center	51	45	2	4.44	3.06	4.47	(0.54, 16.15)	
	St. John's Hospital and Health Center	88	77	0	0.00	2.51	0.00	(0.00, 5.88)	
	St. Mary Medical Center	73	61	4	6.56	5.90	3.42	(0.93, 8.76)	
	St. Vincent Medical Center	141	121	5	4.13	3.57	3.57	(1.16, 8.33)	
	Torrance Memorial Medical Center	158	100	10	10.00	3.75	8.21	(3.94, 15.09)	Worse
	UCLA Medical Center	153	80	2	2.50	3.63	2.12	(0.26, 7.65)	
	USC University Hospital**	145	79	3	3.80	3.59	3.26	(0.67, 9.51)	

* A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2005

Region	Hospital	All CABG Cases*	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate (% RAMR)	95%CI for RAMR	Performance Rating*
State of California		21,342	16,939	522	3.08				
	White Memorial Medical Center	124	112	5	4.46	2.63	5.23	(1.70, 12.21)	
Inland Empire, Riverside & San Bernardino	Desert Regional Medical Center	259	209	5	2.39	2.61	2.83	(0.92, 6.60)	
	Eisenhower Memorial Hospital	202	166	5	3.01	2.90	3.20	(1.04, 7.46)	
	Loma Linda University Medical Center	418	310	4	1.29	2.42	1.65	(0.45, 4.21)	
	Pomona Valley Hospital Medical Center	189	164	4	2.44	3.52	2.14	(0.58, 5.47)	
	Riverside Community Hospital	244	211	9	4.27	2.95	4.46	(2.04, 8.45)	
	San Antonio Community Hospital	83	70	1	1.43	3.89	1.13	(0.03, 6.31)	
	St. Bernardine Medical Center	535	469	19	4.05	3.88	3.22	(1.94, 5.03)	
	St. Mary Regional Medical Center	222	177	9	5.08	2.63	5.96	(2.72, 11.31)	
Orange County	Anaheim Memorial Medical Center	210	174	6	3.45	3.21	3.31	(1.21, 7.19)	
	Fountain Valley Regional Hospital	116	108	5	4.63	3.43	4.16	(1.35, 9.70)	

* A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2005

Region	Hospital	All CABG Cases*	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate (% RAMR)	95%CI for RAMR	Performance Rating*
State of California		21,342	16,939	522	3.08				
	Hoag Memorial Hospital Presbyterian	293	211	4	1.90	2.48	2.35	(0.64, 6.02)	
	Irvine Regional Hospital and Medical Center	35	31	0	0.00	2.60	0.00	(0.00, 14.11)	
	Mission Hospital Regional Medical Center	195	174	3	1.72	2.36	2.25	(0.46, 6.56)	
	Saddleback Memorial Medical Center	139	119	2	1.68	3.41	1.52	(0.18, 5.49)	
	St. Joseph Hospital - Orange	158	124	5	4.03	2.08	5.98	(1.94, 13.96)	
	St. Jude Medical Center	184	160	7	4.38	3.48	3.88	(1.56, 7.99)	
	UC Irvine Medical Center	88	64	2	3.13	3.05	3.15	(0.38, 11.39)	
	West Anaheim Medical Center	37	35	2	5.71	3.98	4.43	(0.54, 15.98)	
	Western Medical Center Hospital - Anaheim	133	125	3	2.40	2.25	3.29	(0.68, 9.62)	
	Western Medical Center - Santa Ana	100	89	2	2.25	1.91	3.62	(0.44, 13.06)	
Greater San Diego	Alvarado Hospital Medical Center	104	90	1	1.11	2.31	1.48	(0.04, 8.25)	

* A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.

Table 3: Hospital Risk-Adjusted Operative Mortality Results by Region, 2005

Region	Hospital	All CABG Cases*	Isolated CABG Cases	Isolated CABG Deaths	Observed Mortality Rate (%)	Expected Mortality Rate (%)	Risk-Adjusted Mortality Rate (% RAMR)	95%CI for RAMR	Performance Rating*
State of California		21,342	16,939	522	3.08				
	Palomar Medical Center	101	83	3	3.61	1.45	7.69	(1.58, 22.45)	
	Scripps Green Hospital	121	96	2	2.08	3.00	2.14	(0.26, 7.73)	
	Scripps Memorial Hospital - La Jolla	474	328	9	2.74	3.73	2.27	(1.04, 4.30)	
	Scripps Mercy Hospital	168	138	1	0.72	2.08	1.07	(0.03, 5.98)	
	Sharp Chula Vista Medical Center	218	180	11	6.11	4.63	4.07	(2.03, 7.27)	
	Sharp Grossmont Hospital	190	152	7	4.61	3.53	4.02	(1.62, 8.28)	
	Sharp Memorial Hospital	258	163	4	2.45	2.10	3.60	(0.98, 9.20)	
	Tri-City Medical Center	141	108	2	1.85	1.44	3.97	(0.48, 14.32)	
	UCSD Medical Center	75	65	3	4.62	1.83	7.77	(1.60, 22.69)	
	UCSD Medical Center - La Jolla, John M. & Sally B. Thornton Hospital	84	51	1	1.96	2.74	2.20	(0.06, 12.28)	

* A hospital is classified as "Better" if the upper 95% CI of the RAMR falls below the California observed mortality rate (3.08). A hospital is classified as "Worse" if the lower 95% CI of the RAMR is higher than the California observed mortality rate. A hospital's performance is considered "Not Different" from the state average (rating is blank) if the California mortality rate falls within the 95% CI of the RAMR.